

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of
The original documents submitted by the applicant.



Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

1/8

Figure 1Figure 2

2/8

**Figure 3**

3/8




Figure 4Figure 5

Figure 6




Figure 7

Figure 3

Apal KpnI PstI ScaI XbaI HaeIII
TAIG TAIG TAIG TAIG TAIGG TAIG







Figure 9

8/8

Figure 10



(a) : 183 F2 IR64 x Gigante (b) : 328 F2 IR64 x Gigante




Figure 11

- A. Genetic map of the region flanking the resistance gene in the IR64 x Gigante population.
- B. Simplified representation of contig 89 and of part of the clones assigned to this contig, according to the Clemson University web site. Clones hybridizing with the M3 probe are indicated with a thick line. Clones sequenced are indicated in dotted line and designed with the sequence accession number.